





ALUMINIUM FOIL



Intruduction

HENAN LICHEN ALUMINUM CO., LTD

Contents



| | | |
|----------------|----|----------|
| | 01 | FACTORY |
| ALUMINIUM FOIL | 02 | |
| | 03 | WORKSHOP |
| PACKING | 04 | |

A large, bold orange number '1' is positioned on the left side of the slide. The background features a misty, blue-toned mountain range with a body of water in the foreground, creating a serene and atmospheric setting.

1

工厂介绍

INTRODUCTION

1. FACTORY INTRODUCTION

**Henan Lichen Aluminum Co., Ltd , a privately-owned enterprises established in 2001, is located in Huiguo Town which is the famous Aluminum Capital in Henan Province, China.
There are 1,200 employees including a R&D team with 26 specialists, and covers an area of 250,000 square meters.**

The International trade department began the export business on 2011, with the sales about 12 and annual export about 80000 tons.

Our main market is showed below.



With the accumulation for more than 7 years, LCALU has established its Brand abroad.

At the present stage, we aim at develop more market, with the good quality, service and rich experience.

2

ALUMINIUM FOIL 铝箔分类及介绍

2. ALUMINIUM FOIL

2.1 HOUSHOLD FOIL (HHF)

Alloy: 8011/1235

Temper: O

Thickness: 9-30micron

Width: 200-1400mm

Surface: Single bright side



2.2 CONTAINER FOIL

Alloy: 8011/3003

Temper: O/H22/H24

Thickness: 20-200micron

Width: 100-600mm

Surface: Double bright side



2.3 TAPE FOIL

Alloy: 8011/1235

Temper: O

Thickness: 10-50micron

Width: 150-1250mm

Surface: Single bright side



APPLICATION



2. ALUMINIUM FOIL

2.4 PHAMACEUTICAL FOIL (HHF)

Alloy: 8011/8021
Temper: O/H18
Thickness: 20-40micron
Width: 300-600mm
Surface: Single bright side



APPLICATION



2.5 INSULATION FOIL

Alloy: 8011/1100
Temper: O/H22
Thickness: 15-40micron
Width: 200-1400mm



2.6 LMAINATED FOIL

Alloy: 8011/1235
Temper: O
Thickness: 6-50micron
Width: 200-1400mm
Surface: Single bright side



2. ALUMINIUM FOIL

2.7 HEAT-SEAL FOIL

Alloy: 8011
Temper: O
Thickness: 30-60micron
Width: 200-1400mm



2.8 FIN STOCK FOIL

Alloy: 8011/1100/3003
Temper: O/H22
Thickness: 90-200micron
Width: 200-1400mm
Surface: Double bright side




2.9 CIGARETTE FOIL

Alloy: 8011/1235
Temper: O
Thickness: 6-7micron
Width: 600-1400mm
Surface: Single bright side



APPLICATION





3

WORKSHOP
车间展示

3. WORKSHOP



CASTING MACHINE




4

PACKING

suspension type 悬挂式


flatways 平放式

4. PACKING (suspension type 悬挂式)



4. PACKING (flatways 平放式)





THANKS



Thank you for watching